

# WHIRLPOOL

## CLASSIC PLUS AND CLASSIC MINI OVENS

04/2010



[www.whirlpool-professional.com](http://www.whirlpool-professional.com)



# CLASSIC PLUS AND CLASSIC MINI OVENS

Whirlpool has expanded its range of professional ovens with the **CLASSIC PLUS** and **CLASSIC MINI** lines.

Both are the perfect solution for professional people, who want **perfect cooking results** with a **competitive price positioning**.

These ovens revolutionize the old manufacturing concepts and offer diverse and interesting appliances from the point of view of technical solutions and features alongside their innovative compact structure.

The 2 lines are primarily characterised by **reduced external dimensions** whilst maintaining the same internal capacity (GN 1/1 or GN 2/1) providing space advantages for small kitchens.

They are appliances with innovative features, that simplify the user interface and don't require any difficult programming. This allows the chef full freedom while greatly supporting his gastronomic talent.




**CLASSIC PLUS** and **CLASSIC MINI** adopt a compact and innovative "heating system": the conveying and suction system of the overheated air flow assures a major heat concentration on the product being cooked avoiding useless overheating of the oven with maximum savings and faster cooking.





# WHIRLPOOL CLASSIC PLUS OVENS


- compact structure
- electric and gas version
- innovative "PREMIX", new gas heating system with totally advanced air & gas mix. Guarantees:
  - major thermal yield of about 25-30% in comparison with traditional heating system (the heat exchanger is in the cooking chamber)
  - reduction of the combusting fumes to ensure maximum respect for the environment
- heat exchanger not attached to the cooking chamber, therefore replaceable
- capacity 7 and 11 levels GN 1/1 and 2/1, (the version GN 1/1 can also be loaded with 2/3, 1/2, 1/4, 1/3 GN trays, with the advantage of cooking different courses at the same time)
- pitch 67 mm
- trays inserted from their shorter side
- the machine core easily reachable by opening one panel, therefore easy serviceability: deep cleaning and maintenance of the oven facilitated
- stainless steel AISI 304 oven chamber
- tray-slides panels without joint
- door with double athermic glass (that can be opened for easy cleaning)
- door gasket made of silicone rubber, suitable for high temperatures and ageing
- double snap safety door handle and push shutting
- built-in steamtight gasket
- standard drops gatherer under the door glass and under the cooking chamber
- standard cooking chamber release valve
- simplified control panel
- encoder-knob which permits unlimited combinations of heat+humidity/steam+time and to automatically control the cooking parameters by means of the core probe with Delta T (only electronic version)
- readily available quality components
- chamber lighting
- automatic washing system on electronic versions



 kW electric power output kW

 V tension Volt

 kW gas power output Kcal/hr

 external dimensions mm LxWxH

# CLASSIC PLUS

**ADN 508**

**ADN 500**

**ADN 504**

**7 LEVELS GN 1/1  
ELECTRIC**



CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	$\text{N/kW}$	$\text{N/V}$	
ADN 508	Classic Plus	Electric	7	1/1	Convection	Humidifier	Analogic	80	8,3	400 V tri+N	800x800x820
ADN 500	Classic Plus	Electric	7	1/1	Combi Steam	Direct	Analogic	80	8,3	400 V tri+N	800x800x820
ADN 504	Classic Plus	Electric	7	1/1	Combi Steam	Direct	Electronic	80	8,3	400 V tri+N	800x800x820

**ADN 520**

**ADN 518**

**ADN 519**

**7 LEVELS GN 1/1  
GAS**



CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	Pre-Mix ATM Pressure for GAS models	$\text{N/kW}$	$\text{N/kW}$	$\text{N/V}$	
ADN 520	Classic Plus	Gas	7	1/1	Convection	Humidifier	Analogic	80	-	0,3	12	230 V mono	800x800x820
ADN 518	Classic Plus	Gas	7	1/1	Combi Steam	Direct	Analogic	80	-	0,3	12	230 V mono	800x800x820
ADN 519	Classic Plus	Gas	7	1/1	Combi Steam	Direct	Electronic	80	-	0,3	12	230 V mono	800x800x820

# WHIRLPOOL CLASSIC PLUS OVENS

**ADN 510**




**ADN 502**



**ADN 506**



**7 LEVELS GN 2/1  
ELECTRIC**

CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	$\text{N/kW}$	$\text{N/V}$	
ADN 510	Classic Plus	Electric	7	2/1	Convection	Humidifier	Analogic	150	16,4	400 V tri+N	1040x920x1100
ADN 502	Classic Plus	Electric	7	2/1	Combi Steam	Direct	Analogic	150	16,4	400 V tri+N	1040x920x1100
ADN 506	Classic Plus	Electric	7	2/1	Combi Steam	Direct	Electronic	150	16,4	400 V tri+N	1040x920x1100

**ADN 509**




**ADN 501**



**ADN 505**



**11 LEVELS GN 1/1  
ELECTRIC**

CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	$\text{N/kW}$	$\text{N/V}$	
ADN 509	Classic Plus	Electric	11	1/1	Convection	Humidifier	Analogic	100	16,4	400 V tri+N	800x800x1100
ADN 501	Classic Plus	Electric	11	1/1	Combi Steam	Direct	Analogic	100	16,4	400 V tri+N	800x800x1100
ADN 505	Classic Plus	Electric	11	1/1	Combi Steam	Direct	Electronic	100	16,4	400 V tri+N	800x800x1100

# CONTROL PANELS

## ADN 516







## ADN 512



## ADN 514



**11 LEVELS GN 1/1  
GAS**

CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	Pre-Mix ATM Pressure for GAS models				
ADN 516	Classic Plus	Gas	11	1/1	Convection	Humidifier	Analogic	300	✓	0,5	16	230 V mono	1040x920x1150
ADN 512	Classic Plus	Gas	11	1/1	Combi Steam	Direct	Analogic	100	✓	0,5	16	230 V mono	800x800x1150
ADN 514	Classic Plus	Gas	11	1/1	Combi Steam	Direct	Electronic	100	✓	0,5	16	230 V mono	800x800x1150

## ADN 511






## ADN 503



## ADN 507



**11 LEVELS GN 2/1  
ELECTRIC**

CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested			
ADN 511	Classic Plus	Electric	11	2/1	Convection	Humidifier	Analogic	300	23,0	400 V tri+N	1040x920x1100
ADN 503	Classic Plus	Electric	11	2/1	Combi Steam	Direct	Analogic	300	23,0	400 V tri+N	1040x920x1100
ADN 507	Classic Plus	Electric	11	2/1	Combi Steam	Direct	Electronic	300	23,0	400 V tri+N	1040x920x1100

# WHIRLPOOL CLASSIC PLUS OVENS

ADN 517







ADN 513



ADN 515



11 LEVELS GN 2/1  
GAS

CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	Pre-Mix ATM Pressure for GAS models				
ADN 517	Classic Plus	Gas	11	2/1	Convection	Humidifier	Analogic	100	✓	0,6	23	230 V mono	800x800x1150
ADN 513	Classic Plus	Gas	11	2/1	Combi Steam	Direct	Analogic	300	✓	0,6	23	230 V mono	1040x920x1150
ADN 515	Classic Plus	Gas	11	2/1	Combi Steam	Direct	Electronic	300	✓	0,6	23	230 V mono	1040x920x1150

# CONTROL PANELS



## CONVECTION + HUMIDIFICATION Control panel analogic

- knob for cooking cycles: convection and convection + humidification; humidity regulation (7 positions); cooling
- knob for temperature selection
- timer



## COMBI DIRECT Control panel analogic








- knob for cooking cycles: convection, steam and convection-steam; humidity regulation (7 positions) in the combi cycle; cooling
- knob for temperature selection
- timer



## COMBI DIRECT Control panel electronic

- knob for cooking cycles: convection, steam and convection-steam; cooling; semi-automatic washing cycle
- encoder for selection of: cooking chamber temperature, core probe temperature, time, steam percentage
- keys for activating: cooking chamber short and long washing cycle, core probe with delta T, double speed fan, pre-heating, Cook & Hold, reduce power

Some of these options are available only on request







CODE	Option	Option	Option	Option	Option	Option	Option
	 Core probe	 Hand shower	 2 speed fans	 Draught diverter	 Steam condenser	 Reduced power	 Chamber washing
ADN 500	ADN 581	AGB 961			included		
ADN 501	ADN 581	AGB 961			included		
ADN 502	ADN 581	AGB 961			included		
ADN 503	ADN 581	AGB 961			included		
ADN 504/1	included with $\Delta t$	AGB 961	ADN 558		included		included
ADN 505/1	included with $\Delta t$	AGB 961	ADN 557		included		included
ADN 506/1	included with $\Delta t$	AGB 961	ADN 557		included	ADN 576	included
ADN 507/1	included with $\Delta t$	AGB 961	ADN 557		included	ADN 577	included
ADN 508		AGB 961			ADN 560		
ADN 509		AGB 961			ADN 560		
ADN 510		AGB 961			ADN 560		
ADN 511		AGB 961			ADN 560		
ADN 512	ADN 581	AGB 961		AGS 932	included		
ADN 513	ADN 581	AGB 961		AGS 932	included		
ADN 514/1	included with $\Delta t$	AGB 961	ADN 557	AGS 932	included		included
ADN 515/1	included with $\Delta t$	AGB 961	ADN 557	AGS 932	included	ADN 577	included
ADN 516		AGB 961		AGS 932	ADN 560		
ADN 517		AGB 961		AGS 932	ADN 560		
ADN 518	ADN 581	AGB 961			included		
ADN 519/1	included with $\Delta t$	AGB 961	ADN 558		included		included
ADN 520		AGB 961			ADN 560		

Option must be requested at the time of order

For grids and trays please refer to page 15



ADN 037 one box composed by 4 bins containing 100 tablets each (400 tablets)


CODE	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
	 Fat filter	 Water softener	 Stand	 Stand with tray-slides	 Suction hood	 Right hinged door
ADN 500	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570
ADN 501	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 502	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 573
ADN 503	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 504	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570
ADN 505	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 506	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 573
ADN 507	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 508	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570
ADN 509	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 510	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 573
ADN 511	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 512	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 513	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 514	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 515	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 516	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 572
ADN 517	AGB 963	AGS 940	ADN 580	ADN 585	ADN 587	ADN 574
ADN 518	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570
ADN 519	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570
ADN 520	AGB 963	AGS 940	ADN 579	ADN 584	ADN 586	ADN 570


Accessories can be ordered in any moment


## WHIRLPOOL CLASSIC MINI OVENS

- super-compact structure
- easy and intuitive control panel
- only electric version
- capacity 5 and 10 levels GN 1/1 (can be loaded can also be loaded with 2/3, 1/2, 1/4, 1/3 GN trays, with the advantage of cooking different courses at the same time)
- pitch 67 mm
- trays inserted from their shorter side
- the machine core easily reachable by opening one panel for serviceability: deep cleaning and maintenance of the oven facilitated
- stainless steel AISI 304 oven chamber
- tray-slides panels without joint
- door with double athermic glass (that can be opened for easy cleaning)
- door handle with opening both from left and right and with push shutting
- door gasket made of silicone rubber, suitable for high temperatures and ageing
- removable drop tray under the cooking chamber
- chamber lighting
- automatic washing system only on electronic versions (under development)



 kW electric power output kW

 external dimensions mm LxWxH

 V tension Volt

# CLASSIC MINI

**ADN 554**

**ADN 550**

**ADN 552**

**5 LEVELS GN 1/1  
ELECTRIC**



CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	$\text{N kW}$	$\text{N V}$	
ADN 554	Classic Mini	Electric	5	1/1	Convection	Humidifier	Analogic	70	6,0	400 V tri+N	710x770x600
ADN 550	Classic Mini	Electric	5	1/1	Combi Steam	Direct	Analogic	70	6,0	400 V tri+N	710x770x600
ADN 552	Classic Mini	Electric	5	1/1	Combi Steam	Direct	Electronic	70	6,0	400 V tri+N	710x770x600

**ADN 555**

**ADN 551**

**ADN 553**

**10 LEVELS GN 1/1  
ELECTRIC**



CODE	Whirlpool Range	Gas/ Electric	Levels	GN	Oven technology	Direct Boiler	Analogic Electronic Programmable	Number of MEALS for which the product is suggested	$\text{N kW}$	$\text{N V}$	
ADN 555	Classic Mini	Electric	10	1/1	Convection	Humidifier	Analogic	140	10	400 V tri+N	710x770x940
ADN 551	Classic Mini	Electric	10	1/1	Combi Steam	Direct	Analogic	140	12,0	400 V tri+N	710x770x940
ADN 553	Classic Mini	Electric	10	1/1	Combi Steam	Direct	Electronic	140	12,0	400 V tri+N	710x770x940

## ELECTRIC



### CONVECTION+HUMIDIFICATION

#### Control panel analogic

- cooking cycle selection switch: convection and steam-convection and for humidity regulation in the combi cycle; cooling
- temperature settings selection switch
- timer

## ELECTRIC



### COMBI DIRECT

#### Control panel analogic

- knob for cooking cycle: convection, steam and steam-convection and for steam regulation (min-max) in the combi cycle; cooling
- knob for temperature setting
- timer

## ELECTRIC









### COMBI DIRECT

#### Control panel electronic







- knob for cooking cycle: convection, steam and steam-convection; washing cycle; cooling
- encoder to set cooking chamber temperature, core probe temperature, time and steam percentage
- selection buttons to start: cooking chamber washing (short and long), core probe with delta T, double speed motors, pre-heating, reduced power and Cook & Hold

Some of these options are available only on request

## OPTIONS - ACCESSORIES

CODE	Option	Option	Option	Option	Option	Option
						
	Core probe	Hand shower	2 speed fans	Steam condenser	Chamber washing	Cooking chamber release valve
ADN 550		AGB 961		included		ADN 582
ADN 551		AGB 961		included		ADN 582
ADN 552	included with Δt	AGB 961	ADN 559	included	under development	ADN 582
ADN 553	included with Δt	AGB 961	ADN 556	included	under development	ADN 582
ADN 554		AGB 961		ADN 561		ADN 582
ADN 555		AGB 961		ADN 561		ADN 582





Option must be requested at the time of order

CODE	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
						
	Fat filter	Water softener	Stand	Stand with tray-slides	Tray-slides for stand	Right hinged door
ADN 550	ADN 563	AGS 940	ADN 578	ADN 583	ADN 588	ADN 575
ADN 551	ADN 562	AGS 940	ADN 578	ADN 583	ADN 588	ADN 571
ADN 552	ADN 563	AGS 940	ADN 578	ADN 583	ADN 588	ADN 575
ADN 553	ADN 562	AGS 940	ADN 578	ADN 583	ADN 588	ADN 571
ADN 554	ADN 563	AGS 940	ADN 578	ADN 583	ADN 588	ADN 575
ADN 555	ADN 562	AGS 940	ADN 578	ADN 583	ADN 588	ADN 571

Accessories can be ordered in any moment

For grids and trays please refer to page 15

# WHIRLPOOL CLASSIC MINI OVENS

	Code	Description	Dimensions
	AGS 799	Stainless steel tray GN 2/3	325x355x40
	AGS 796	Stainless steel tray GN 1/1	325x530x20
	AGS 797	Stainless steel tray GN 1/1	325x530x40
	AGS 798	Stainless steel tray GN 1/1	325x530x60
	AGS 793	Stainless steel tray GN 2/1	650x530x20
	AGS 794	Stainless steel tray GN 2/1	650x530x40
	AGS 795	Stainless steel tray GN 2/1	650x530x60
	AGS 800	Punched stainless steel tray GN 1/1	325x530x20
	AGS 801	Punched stainless steel tray GN 1/1	325x530x40
	AGS 802	Punched stainless steel tray GN 1/1	325x530x60
	AGS 805	Stainless steel grid GN 2/3	325x355
	AGS 804	Stainless steel grid GN 1/1	325x530
	AGS 803	Stainless steel grid GN 2/1	530x650
	AGS 806	Special stainless steel grid for poultry cooking GN 1/1	325x530

Whirlpool Europe s.r.l.  
V.le Guido Borghi, 27  
21025 - Comerio - (VA) ITALY  
[www.whirlpool-professional.com](http://www.whirlpool-professional.com)

All information included in the catalogue is subject to change without prior notice

